

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	134	(service near2 broker) same (address port) AND (@ad< "20040610" @pd< "20020610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 08:20
S2	18	S1 and ((publish register) with name)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 08:21
S4	1	(map with port with number with service with name) AND (@ad< "20040610" @pd< "20020610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 08:24
S5	58	(DNS with (port near2 number) same service) AND (@ad< "20040610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 14:24
S6	23	(US-20030105864-\$ or US-20040019898-\$ or US-20050203949-\$ or US-20020095488-\$ or US-20010043595-\$ or US-20060168264-\$ or US-20040215707-\$ or US-20030097464-\$ or US-20030187978-\$ or US-20040066403-\$ or US-20040064452-\$ or US-20040054783-\$ or US-20010054101-\$ or US-20020009078-\$).did. or (US-5329619-\$ or US-6553384-\$ or US-5825890-\$ or US-6512754-\$ or US-7177947-\$ or US-6802068-\$ or US-7003555-\$ or US-6675208-\$ or US-7007080-\$).did.	US-PGPUB; USPAT	OR	ON	2007/11/07 15:09
S7	16	S6 and (authenticate authentication)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:09

S8	134	(service near2 broker) same (address port) AND (@ad< "20040610" @pd< "20020610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:24
S9	18	S8 and ((publish register) with name)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:24
S10	1	(map with port with number with service with name) AND (@ad< "20040610" @pd< "20020610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:24
S11	58	(DNS with (port near2 number) same service) AND (@ad< "20040610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:26
S12	139	(S8 S9 S10 S11) and (authenticat\$4 authoriz\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:26
S13	108	(map\$4 with port with number with service) AND (@ad< "20040610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:21
S14	2	((reverse reversed) with domain with nam\$3) AND S13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:22
S15	9	(map\$4 with port with number with service with name) AND (@ad< "20040610" @pd< "20020610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:24
S16	1	("5623605").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/08 09:35
S17	0	(portmap portmapper rpcbind) SAME ("by name" "service name") AND @ad< "20040610"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:42
S18	182	(portmap\$4 (port adj map\$4) rpcbind) SAME (name) AND @ad< "20040610"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:43

S19	6	S18 and "service name"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:44
S20	224	symbian.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:47
S21	1717	McDowell.INV. Pavler.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:47
S22	4	(S20 S21) AND ("port number" "connection point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:49
S23	23254	((709/203) or (709/217) or (709/220) or (709/223) or (709/227)).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/08 10:59
S24	15	("20060248176" "20070186212" "20040013130" "20040088385" "20040133692" "20040228310" "20060248202" "20050083912" "20030105812" "20070180448" "7237257" "6446108" "20040205048" "20040253956" "6915345"). pn.	US-PGPUB; USPAT	OR	ON	2007/11/08 11:00
S25	9	getaddrinfo	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:20
S28	1	("6266707").PN.	US-PGPUB; USPAT	OR	OFF	2007/11/08 13:15
S29	2	"7194543".PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 14:45

S30	31	(US-20030105864-\$ or US-20040019898-\$ or US-20050203949-\$ or US-20020095488-\$ or US-20010043595-\$ or US-20060168264-\$ or US-20040215707-\$ or US-20030097464-\$ or US-20030187978-\$ or US-20040066403-\$ or US-20040064452-\$ or US-20040054783-\$ or US-20010054101-\$ or US-20020009078-\$ or US-20050223217-\$ or US-20040192364-\$ or US-20040030627-\$ or US-20030105812-\$).did. or (US-5329619-\$ or US-6553384-\$ or US-5825890-\$ or US-6512754-\$ or US-7177947-\$ or US-6802068-\$ or US-7003555-\$ or US-6675208-\$ or US-7007080-\$ or US-6438594-\$ or US-7032002-\$ or US-7237257-\$ or US-7194543-\$).did.	US-PGPUB; USPAT	OR	ON	2008/04/24 16:17
S31	3	(service with broker) and (service with start\$3) and S30	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:17
S32	646	(service with broker) and (service with start\$3) and (@ad< "20030610" @pd< "20030610" @riad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:25
S33	102	(service with broker) and (service with (automatic\$4 broker) with start\$3) and (@ad< "20030610" @pd< "20030610" @riad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:26
S34	56	S33 and vendor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:26
S35	3	S33 and name with port	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:27

S36	3408	service with port\$3 with (name advertis\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:28
S37	3	S33 and S36	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:28
S38	31	S34 and port	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:28
S39	108	(service adj broker) and (service with start\$3) and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:30
S40	18	(service adj broker) and (service with (automatic\$4 broker) with start\$3) and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:30
S41	102	(S39 S40) and ((connect\$3 with point) port address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:34
S42	63	(S39 S40) and ((connect\$3 with point) port)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:34
S43	6	S42 and S40	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:35
S44	17	(S39 S40) and (port adj number)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:38
S45	4	("5987464" "6049819" "6141759" "6434546").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/24 16:42
S46	18	(S39 S40) and ((map\$4 look \$3 look\$up return\$3) with port)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:44

S47	6	S46 NOT S44	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:44
S48	0	service same publish same bind same vendor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:48
S49	102	service same publish same bind and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:50
S50	718	revers\$3 with domain with (name information)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:50
S51	0	S49 and S50	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:50
S52	25145	((709/203) or (709/217) or (709/220) or (709/223) or (709/227)).CCLS	US-PGPUB; USPAT	OR	OFF	2008/04/24 18:11
S53	17	(portmap portmapper rpcbind) and S52	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 18:12
S54	261	symbian.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 18:12
S55	1801	McDowell.INV. Pavier.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 18:12
S56	4	(S54 S55) AND ("port number" "connection point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 18:12
S57	3	reverse\$1 with name with vendor same service	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:32

S58	8	(name\$space (name adj space) (name near2 hierarchy)) with vendor same service and {@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:38
S59	8	(name\$space (name adj space) ((name naming) near2 hierarchy)) with vendor same service and {@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:43
S60	2	revers\$3 with nam\$3 with service with vendor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:44
S61	26	revers\$3 with nam\$3 with (vendor author source provider) same service and {@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:45
S62	4	vendor adj name with service adj name and {@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:47
S63	21	vendor with service adj name and {@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 12:22
S64	13	prefix with (developer vendor author source provider) with domain same service and {@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:54
S65	13	pre\$fix\$3 with (developer vendor author source provider) with domain same service and {@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:54
S66	2131	service near nam\$3 with domain near nam\$3 and {@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:57

S67	11	("org.example" "com.example")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:04
S68	0	("org.example\$10" "com.example\$10") same service	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:05
S69	0	("org.example\$10" "com.example\$10")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:05
S70	18	("org.example"\$ "com.example"\$)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:06
S71	2	(US-20030191803-\$ or US-20030204645-\$).did.	US-PGPUB	OR	ON	2008/09/24 15:09
S72	2	S71 and (proxy broker) same service	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:10
S73	1	S71 and service.OLM.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:12
S74	316	("org."\$ "com."\$) same service	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:19
S75	182	S74 and (@ad<"20030610"@pd<"20030610"@rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:19
S82	122	("org."\$ "com."\$) same service same name	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:39
S83	81	("org."\$ "com."\$) same service with nam\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:39

S84	2	("org."\$ "com."\$) same service with broker	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:40
S85	47	("org."\$ "com."\$) same service near2 nam\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:42
S86	31	S85 and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:45
S87	2	((US-20030204645-\$).did. or (NNRD446180).tban.	US-PGPUB; IBM_TDB	OR	ON	2008/09/24 15:49
S88	0	((newest highest) with version) same service with broker and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:51
S89	252	((newest default highest) with version) same service and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:51
S90	0	((newest default highest) with version) same service with broker and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:52
S91	9	((newest default largest recent highest) with version) same service with broker and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:52
S92	74	(select\$3 specif\$6) with (version adj number) with (highest default newest recent largest greatest) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:53
S93	108	(version adj number) with (default) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 16:11

S94	5	service with (version adj number) with (default) and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 16:12
S95	0	service with broker same (version adj number) with (default) and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 16:12
S96	1	default adj version same broker and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 16:13
S97	17	default adj version same service and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 16:14
S98	18	S96 S97	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 16:14
S99	2	(US-20030105858-\$).did. or (US-6289392-\$).did.	US-PGPUB; USPAT	OR	ON	2008/09/24 16:17
S100	2	(US-20030105858-\$).did. or (US-6289392-\$).did.	US-PGPUB; USPAT	OR	ON	2008/09/25 08:27
S101	2	(US-20030204645-\$).did. or (NNRD446180).tban.	US-PGPUB; IBM_TDB	OR	ON	2008/09/25 08:27
S102	0	service adj broker with publish\$3 with name and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:05
S103	411	service with publish\$3 with name and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:05
S104	3109	service with regist\$6 with name and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:06
S105	595	(S103 S104) and service with (broker proxy)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:06

S106	217	(S103 S104) and service with (broker proxy) same name	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:07
S107	160	S106 and (@ad< "20030610" @pd< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:07
S108	7	S106 and service adj broker	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:07
S109	457	S105 and service near2 name	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:10
S110	171	S109 and S106	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:10
S111	127	S110 and (@ad< "20030610" @pd< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:10
S112	104	S110 and service near2 (broker proxy)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:11
S113	55	S110 and service adj (broker proxy)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:11
S114	211	S105 and service adj name	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:11
S115	143	S105 and service adj name and service near2 (proxy broker)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:12

S116	56	S105 and service adj name and service near2 (broker)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:12
S117	48	S116 and (@ad< "20030610" @pd< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:12
S118	3	S116 and automatic\$4 with start\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 09:13
S119	281	symbian.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:18
S120	1851	McDowell.INV. Pavier.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:18
S121	4	(S119 S120) AND ("port number" "connection point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:18
S122	26832	((709/203) or (709/217) or (709/220) or (709/223) or (709/227)).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/09/25 11:19
S123	17	(portmap portmapper rpcbind) and S122	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:19
S124	90	S122 and multiple with version with service	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:19
S125	5	S124 and (default highest newest recent) with version and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:20
S126	3	multiple with version with service same (default highest newest recent) with version and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:21

S127	34	(multiple several different) with version with service same (default highest newest recent) with version and (@ad<"20030610"@pd<"20030610"@rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:22
S128	276	service with broker with (authoriz\$5 authentic\$5) and (@ad<"20030610"@pd<"20030610"@rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:28
S129	0	S127 and S128	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:29
S130	44	S128 and service adj broker	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:29
S131	7	S128 and service adj broker and service adj name	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 11:30
S132	43	(US-20030105864-\$ or US-20040019898-\$ or US-20050203949-\$ or US-20020095488-\$ or US-20010043595-\$ or US-20060168264-\$ or US-20040215707-\$ or US-20030097464-\$ or US-20030187978-\$ or US-20040066403-\$ or US-20040064452-\$ or US-20040054783-\$ or US-20010054101-\$ or US-20020009078-\$ or US-20050223217-\$ or US-20040192364-\$ or US-20040030627-\$ or US-20030105812-\$ or US-20030005034-\$ or US-20010051929-\$ or US-20030191803-\$ or US-20030204645-\$ or US-20030105858-\$ or US-20050021594-\$ or US-20040054690-\$).did. or (US-5329619-\$ or US-6553384-\$ or US-5825890-\$ or US-6512754-\$ or US-7177947-\$ or US-6802068-\$ or US-	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/04/27 15:22

		7003555-\$ or US-6675208-\$ or US-7007080-\$ or US-6438594-\$ or US-7032002-\$ or US-7237257-\$ or US-7194543-\$ or US-7343428-\$ or US-6289392-\$ or US-7130891-\$ or US-6842903-\$). did. or (NNPD446180).iban.				
S133	1	S132 and "socket server"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 15:22
S134	72	"socket server" with service	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 15:22
S135	49	"socket server" with service and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 15:23
S136	8	"socket server" with service same (TCP IP) and (@ad<"20030610" @pd<"20030610" @rlad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 15:23
S137	311	symbian.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 15:23
S138	1926	McDowell.INV. Pavier.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 15:23
S139	5	(S137 S138) AND ("port number" "connection point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 15:23
S140	4	S135 and ((709/203) or (709/217) or (709/220) or (709/223) or (709/227)). OCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 15:24
S141	11	S136 S140	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 15:24

SI42	332	symbian.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 12:19
SI43	1978	McDowell.INV. Pavier.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 12:19
SI44	6	(SI42 SI43) AND ("port number" "connection point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 12:19
SI45	49	"socket server" with service and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 12:19
SI46	8	"socket server" with service same (TCP IP) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 12:19
SI47	4	SI45 and ((709/203) or (709/217) or (709/220) or (709/223) or (709/227)). CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 12:19
SI48	11	SI46 SI47	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 12:19
SI49	25	(service near2 broker\$3) with (name named) and (service near2 broker\$3) with (provision\$3 start\$4 launch\$3 execut\$3) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 13:34
SI50	28	(service near2 broker\$3) same listen\$3 and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 13:54
SI51	324	(service near2 broker\$3).AB. and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 13:54

S152	44	(S150 S151) and service near2 (name named)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 13:54
S153	42	(service near1 broker\$3).AB. and (on\$demand demand hand\$off (hand\$3 adj off)) with service and {@ad< "20030610" @pd< "20030610" @riad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:08
S154	1916	(ORB Corba RPC) same (launch\$3 execut\$3 run\$4 provision\$3 start\$4) near2 (server service program) and {@ad< "20030610" @pd< "20030610" @riad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:09
S155	454	(ORB Corba RPC remote\$2). AB. and (ORB Corba RPC) same (launch\$3 execut\$3 run \$4 provision\$3 start\$4) near2 (server service program) and {@ad< "20030610" @pd< "20030610" @riad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:10
S156	4	(S153 S155) and service with (published adj name)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:11
S157	95	S154 and (broker listener). AB.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:14
S158	51	(S153 S157) and "709".CLAS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:14
S159	22	S158 and service near2 (name named)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:15
S160	461	(ORB Corba RPC broker).AB. and (ORB Corba RPC broker) same (launch\$3 execut\$3 run \$4 provision\$3 start\$4) near2 (server service program) and {@ad< "20030610" @pd< "20030610" @riad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:19

SI61	69	(ORB Corba RPC broker).AB. and (ORB Corba RPC broker) same (start\$4) near2 (server service program) and (@ad<"20030610" @pd<"20030610" @riad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:20
SI62	74	(ORB Corba RPC broker).AB. and (ORB Corba RPC broker) same (launch\$3 start\$4) near2 (server service program) and (@ad<"20030610" @pd<"20030610" @riad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:20
SI63	35	(ORB Corba RPC broker).AB. and (ORB Corba RPC broker) same (launch\$3 start\$4) near2 (server service program) and address with client and (@ad<"20030610" @pd<"20030610" @riad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:21
SI64	42	(ORB Corba RPC broker listener).AB. and (ORB Corba RPC broker listener) same (launch\$3 start\$4) near2 (server service program) and address with client and (@ad<"20030610" @pd<"20030610" @riad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:21
SI65	46	(ORB Corba RPC broker listener).AB. and (ORB Corba RPC broker listener) same (launch\$3 start\$4) near2 (server service program process) and address with client and (@ad<"20030610" @pd<"20030610" @riad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 14:41
SI66	4	(US-20010051929-\$).did. or (US-5329619-\$ or US-6598067-\$ or US-7260618-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/12/30 17:42
SI67	121	(ORB Corba RPC broker listener).AB. and (ORB Corba RPC broker listener) same (port socket handle (connection adj point)) near5 client and (@ad<"20030610" @pd<"20030610" @riad<"20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 20:52

S168	20	(ORB Corba RPC broker listener).AB. and (ORB Corba RPC broker listener) same (provid\$3 return\$3 send\$3 pass\$3) near5 (port socket handle (connection adj point)) near5 client and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 20:53
S169	12	"709".CLAS. and (bind\$3 RPC).AB. and service with regist\$7 with name and client near5 (address port port point socket handle) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 21:00
S170	66	"709".CLAS. and ((broker bind \$3 RPC regist\$7) and (service process)).AB. and (service process) with regist\$7 with name and client near5 (address port port point socket handle) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 21:01
S171	46	"709".CLAS. and ((broker bind \$3 RPC regist\$7) and (service process)).AB. and (service process) near5 regist\$7 near5 name and client near5 (address port port point socket handle) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 21:01
S172	47	"709".CLAS. and ((broker bind \$3 RPC regist\$7 listener) and (service process)).AB. and (service process) near5 regist\$7 near5 name and client near5 (address port port point socket handle) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 21:02
S173	8	((US-20010051929-\$ or US-20030208563-\$ or US-20030172127-\$).did. or (US-5329619-\$ or US-6598067-\$ or US-7260618-\$ or US-5862331-\$).did. or (JP-09160856-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2010/01/04 13:04

S174	4	S173 and (broker\$3 listen\$3) with (address port socket handle pointer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/04 13:06
S175	333	symbian.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 16:44
S176	1980	McDowell.INV. Pavier.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 16:44
S177	6	(S175 S176) AND ("port number" "connection point")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/04 16:44

1/ 4/ 2010 4:47:46 PM

C:\Documents and Settings\ihussain\My Documents\EAST\Workspaces
 \10559782_symbian_servicediscovery.wsp